

AKUSTIX Vario

For little noise in the office or at home



- ✔ PET Panel with high sound absorption
- ✔ In many different sizes and 3 colours available
- ✔ Ideal for use at tables
- ✔ Easy assembly in combination with our SOLIDO clamp brackets



Article	Description	Colour	Height	Width	Thickness in mm	Item No.	
AKUSTIX Vario	PET Panel, corner radius: 40 mm, sound absorption level B, 3000g/m ²	light green	400	800	18	309 120286	
			400	1200	18	309 120293	
			400	1600	18	309 120300	
			400	1800	18	309 120307	
			400	2000	18	309 120314	
			600	800	18	309 122813	
			600	1200	18	309 120321	
			600	1600	18	309 120328	
			600	1800	18	309 120335	
			600	2000	18	309 120342	
			blue	400	800	18	309 120216
				400	1200	18	309 120223
		400		1600	18	309 120230	
		400		1800	18	309 120237	
		400		2000	18	309 120244	
		600		800	18	309 122806	
		600		1200	18	309 120251	
		600		1600	18	309 120188	
		600		1800	18	309 120265	
		600		2000	18	309 120272	
		grey		400	800	18	309 120146
				400	1200	18	309 120153
			400	1600	18	309 120160	
			400	1800	18	309 120167	
400	2000		18	309 120174			
600	800		18	309 122799			
600	1200		18	309 120181			
600	1600		18	309 120258			
600	1800		18	309 120195			
600	2000		18	309 120202			

Our inexpensive alternative for optimal noise protection

- ✔ PET Panel with high sound absorption
- ✔ In many different sizes and colours available
- ✔ Ideal for use at tables
- ✔ Easy assembly in combination with our SOLIDO clamp brackets



Article	Description	Colour	Height	Width	Thickness in mm	Item No.
AKUSTIX Vario eco	PET Panel, corner radius: 50 mm, sound absorption level B, 2400g/m ²	white	400	800	12	309 121777
			400	1200	12	309 121784
			400	1600	12	309 121791
		yellow	400	800	12	309 121798
			400	1200	12	309 121805
			400	1600	12	309 121812
		orange	400	800	12	309 121693
			400	1200	12	309 121700
			400	1600	12	309 121707
		red	400	800	12	309 121672
			400	1200	12	309 121679
			400	1600	12	309 121686
		grass green	400	800	12	309 121735
			400	1200	12	309 121742
			400	1600	12	309 121749
		light blue	400	700	12	309 121875
			400	800	12	309 121651
			400	1200	12	309 121658
		navy	400	1600	12	309 121665
			400	800	12	309 121756
			400	1200	12	309 121763
		beige	400	1600	12	309 121770
			400	800	12	309 121714
			400	1200	12	309 121721
		brown	400	1600	12	309 121728
			400	800	12	309 121840
			400	1200	12	309 121847
		light grey	400	1600	12	309 121854
			400	700	12	309 121623
			400	800	12	309 121616
anthrazite	400	1200	12	309 121630		
	400	1600	12	309 121644		
	400	700	12	309 121595		
black	400	800	12	309 121588		
	400	1200	12	309 121602		
	400	1600	12	309 121609		
	400	800	12	309 121819		
	400	1200	12	309 121826		
		400	1600	12	309 121833	



The sounds reducing workspace-divider

- ✔ PET Panel with high sound absorption
- ✔ In 3 different colours available
- ✔ Ideally suited to separate work areas





All the AKUSTIX Vario (eco) elements are also available as Muros Version.

Name	Description	Height	Width	Thickness in mm	Colour	Item No.
AKUSTIX Muros	PET Room divider ceiling installation, corner radius: 40 mm, sound absorption level B, 3000g/m ² , including fixing material, without dowels	400	1200	18	light green	309 120902
					grey	309 120895
					blue	309 120916

The free-moving room divider for flexible application options

- ✔ PET room divider with high sound absorption
- ✔ Available in one or two colors
- ✔ Ideally suited to separate work areas from each other
- ✔ Easy assembly and transport with the associated „SOLIDO M“ brackets




Name	Description	Height Width Thickness in mm	Colour	Article-no.
AKUSTIX Muram	PET Room divider, corner radius: 30 mm sound absorption level B, 3000g/m ²	1600 1200 18	white/grey	309 120923
			silver/grey	309 120930
			red/anthracite	309 120937
			orange/light green	309 120944
			navy/light blue	309 120951
			light green	309 120958
			grey	309 120965
			blue	309 120972
			blue/light grey	309 120979

FIXTURES

AKUSTIX Solido M	1 pair of brackets for AKUSTIX Muram, powder coated, casters with brakes, total height 1100 mm, 3 mm steel	silver, RAL 9006	308 121007
		white, RAL 9010	308 121196
		black, RAL 9017	308 121203

For optimal noise cancelation even in large rooms

- ✔ PET panel with high sound absorption
- ✔ Available in 3 colors
- ✔ Ideally suited to optimize noise protection in rooms with high ceilings
- ✔ Ideal for open-plan offices, meeting rooms, lecture halls, sports halls, warehouses and much more




All the **AKUSTIX Vario** (eco) elements are also available as **Stratos Version**

Name	Description	Height	Width	Thickness in mm	Colour	Article No.
AKUSTIX Stratos	PET Baffel, corner radius: 40 mm, sound absorption level B, 3000g/m ² , including fixation material, without dowels	400	1200	18	blue	309 120790
					grey	309 120797
					light green	309 120804

Our ceiling solution for a quiet workplace

- ✔ Square PET ceiling tile with high sound absorption capacity
- ✔ In 3 colours available
- ✔ Suppresses a large number of potential echo noises
- ✔ Ideal in break rooms, machine rooms, lobbies and other areas with high noise potential



Name	Description	Height	Width	Thickness in mm	Colour	Article No.
AKUSTIX Cumulos	PET Ceiling panel, corner radius: 30 mm, sound absorption level B, 3000g/m ² , including fixing material, without dowels	600	600	18	blue	309 120986
					grey	309 120993
					light green	309 121000