


Ceiling suspensions for AKUSTIX Vario elements for many applications


- ✔ For all **AKUSTIX** Vario elements with a thickness of 18 mm
- ✔ Flexibly adjustable in height - ideal for any location
- ✔ Three different ceiling fixations enable installations on many ceiling situations
- ✔ Other suspension cable lengths available as accessories




Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm

## Technical Drawings


CELIDO Cumulos 4:1




Position: Drilling holes in the AKUSTIX element



CELIDO Cumulos 4:1 - Fixation: Panel/Ceiling




Appropriate AKUSTIX Vario elements



Article	PU	Description	Type	Item No.
CELIDO Cumulos 4:1	1	Ceiling fixation set for <b>AKUSTIX</b> Varioset: Cumulos (18 mm); 4 fixing points (panel) / 1 fixing point (ceiling)	Connection Ceiling/Panel	308 126334
CELIDO Cumulos 400	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059


Ceiling suspension with integrated cable shots

- ✓ For all **AKUSTIX** Cumulos elements
- ✓ Flexibly adjustable in height - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included.



## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 4:2 V1	1	Ceiling fixation set for <b>AKUSTIX</b> Cumulos; 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 123947
CELIDO Cumulos 400	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m <sup>2</sup>	blue	309 120986
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m <sup>2</sup>	grey	309 120993
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m <sup>2</sup>	light green	309 121000


Ceiling suspension for AKUSTIX Vario elements for many applications

- ✓ For all AKUSTIX Vario elements with a thickness of 18 mm
- ✓ Flexibly adjustable in height and angle of inclination - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm


## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 2:2	2	Double wire suspension for <b>AKUSTIX</b> Varioset: Cumulos (18 mm); 2 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126327
CELIDO Cumulos 4:2	2	Double wire suspension for <b>AKUSTIX</b> Varioset: Cumulos (18 mm); 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126320
CELIDO Cumulos 400	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for <b>AKUSTIX</b> Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059

Ceiling suspension for AKUSTIX Vario elements for many applications

- ✔ For all **AKUSTIX Vario eco** elements (thickness: 12 mm)
- ✔ Flexibly adjustable in height - ideal for any location
- ✔ Three different ceiling fixations enable installations on many ceiling situations
- ✔ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm

## Technical Drawings

**CELIDO Cumulos 4:1**

**Position:** Drilling holes in the AKUSTIX element

**Fixation: Panel / Ceiling**

**Appropriate AKUSTIX Vario eco elements**



Separately available in different dimensions and colours.

Article	PU	Description	Type	Item No.
CELIDO Cumulos 4:1 eco	1	Ceiling fixation set for <b>AKUSTIX Varioset: Cumulos eco</b> (12 mm); 4 fixing points (Panel) / 1 fixing point (ceiling)	Connection Ceiling/Panel	308 126313
CELIDO Cumulos 400	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124059




Ceiling suspension for AKUSTIX Vario eco elements for many applications

- ✓ For all **AKUSTIX Vario eco** elements (thickness: 12 mm)
- ✓ Flexibly adjustable in height and angle of inclination - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm


## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 2:2 eco	2	Double wire suspension for <b>AKUSTIX Varioset: Cumulos eco</b> (12 mm); 2 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126306
CELIDO Cumulos 4:2 eco	2	Ceiling fixation set for <b>AKUSTIX Varioset: Cumulos eco</b> (12 mm); 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126299
CELIDO Cumulos 400	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for <b>AKUSTIX Varioset: Cumulos (eco)</b>	Extension Ceiling/Panel	308 124059


Panel suspension for ceiling baffles

- ✔ For all **AKUSTIX Vario (eco)** elements (thickness: 18 or 12 mm)
- ✔ Three different ceiling fixations enable installations on many ceiling situations
- ✔ Vertical installation of **AKUSTIX Vario (eco)** elements for even greater sound absorption



Akustix elements as shown in the pictures are not included.


## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Stratos	2	Ceiling fixation for <b>AKUSTIX Vario</b> -elements (18 mm);	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for <b>AKUSTIX Vario</b> -elements (12 mm);	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for <b>AKUSTIX Vario</b> set: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052


Fixation set for large „floating“ noise barrier modules

✔ For all **AKUSTIX** Vario (eco) elements (thickness: 18 or 12 mm)



Akustix elements as shown in the pictures are not included.


## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Muros	2	Panel fixation for <b>AKUSTIX</b> Varioset: Muros (18 mm)	Connection Panel/Panel	308 126075
CELIDO Muros eco	2	Panel fixation for <b>AKUSTIX</b> Varioset: Muros eco (12 mm)	Connection Panel/Panel	308 126068
CELIDO Stratos	2	Ceiling fixation for <b>AKUSTIX</b> Vario-elements (18 mm);	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for <b>AKUSTIX</b> Vario-elements (12 mm);	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for <b>AKUSTIX</b> Varioset: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052


Fixation set for the flexible connector of AKUSTIX Vario (eco) elements

- ✔ For all **AKUSTIX** Vario (eco) elements (thickness: 18 or 12 mm)
- ✔ Height adjustable (45-130 mm) connector of elements **AKUSTIX** Variosets: Muros



Akustix elements as shown in the pictures are not included.

## Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Muros flex	2	Panel connector for <b>AKUSTIX</b> Varioset: Muros (eco)	Connection Panel/Panel	308 123933
CELIDO Stratos	2	Ceiling fixation for <b>AKUSTIX</b> Vario-elements (18 mm);	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for <b>AKUSTIX</b> Vario-elements (12 mm);	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for <b>AKUSTIX</b> Varioset: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052



Ceiling suspension for **AKUSTIX Vario (eco)** elements for many situations

	Picture	PU	Description / Panel orientation	For AKUSTIX		Fixing points		Height adjustable	For end product	Item No.
				Vario	Vario eco	Ceiling	Panel			
CELIDO Cumulos 4:1		1	Ceiling fixation set/horizontal	✓	-	1	4	✓	AKUSTIX Varioset: Cumulos	308 126334
CELIDO Cumulos 4:2 V1		1	Ceiling fixation set/horizontal	AKUSTIX Cumulos	-	2	4	✓	AKUSTIX Varioset: Cumulos	308 123947
CELIDO Cumulos 2:2		1	Ceiling fixation set/horizontal	✓	-	2	2	✓	AKUSTIX Varioset: Cumulos	308 126327
CELIDO Cumulos 4:2		1	Ceiling fixation set/horizontal	✓	-	2	4	✓	AKUSTIX Varioset: Cumulos	308 126320
CELIDO Cumulos 4:1 eco		1	Ceiling fixation set/horizontal	-	✓	1	4	✓	AKUSTIX Varioset: Cumulos eco	308 126313
CELIDO Cumulos 2:2 eco		1	Ceiling fixation set/horizontal	-	✓	2	2	✓	AKUSTIX Varioset: Cumulos eco	308 126306
CELIDO Cumulos 4:2 eco		1	Ceiling fixation set/horizontal	-	✓	2	4	✓	AKUSTIX Varioset: Cumulos eco	308 126299
CELIDO Stratos		2	Ceiling fixation/vertical	✓	-	2	2	✓	AKUSTIX Varioset: Stratos	308 126467
CELIDO Stratos eco		2	Ceiling fixation/vertical	-	✓	2	2	✓	AKUSTIX Varioset: Stratos eco	308 126460
CELIDO Muros			Panel connector/vertical	✓	-	-	2	-	AKUSTIX Varioset: Muros	308 126075
CELIDO Muros eco			Panel connector/vertical	-	✓	-	2	-	AKUSTIX Varioset: Muros eco	308 126068
CELIDO Muros flex			Panel connector/vertical	✓	✓	-	2	✓	AKUSTIX Varioset: Muros (eco)	308 123933
CELIDO Cumulos 400			Suspension extension (400 mm)	✓	✓	1	1	-	AKUSTIX Varioset: Cumulos (eco)	308 124703
CELIDO Cumulos 500			Suspension extension (500 mm)	✓	✓	1	1	-	AKUSTIX Varioset: Cumulos (eco)	308 124710
CELIDO Cumulos 1500			Suspension extension (1500 mm)	✓	✓	1	1	-	AKUSTIX Varioset: Cumulos (eco)	308 124717
CELIDO Cumulos 3000			Suspension extension (3000 mm)	✓	✓	1	1	-	AKUSTIX Varioset: Cumulos (eco)	308 124059
CELIDO Stratos Muros 3000			Suspension extension (3000 mm)	✓	✓	2	2	-	AKUSTIX Varioset: Stratos / Muros (eco)	308 124052