


CELIDO Cumulos 4:1

Ceiling suspensions for AKUSTIX Vario elements for many applications




- ✓ For all **AKUSTIX** Vario elements with a thickness of 18 mm
- ✓ Flexibly adjustable in height - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories




Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm

Technical Drawings


CELIDO Cumulos 4:1




Position: Drilling holes in the AKUSTIX element



CELIDO Cumulos 4:1 - Fixation: Panel/Ceiling



Appropriate AKUSTIX Vario elements



Article	PU	Description	Type	Item No.
CELIDO Cumulos 4:1	1	Ceiling fixation set for AKUSTIX Varioset: Cumulos (18 mm); 4 fixing points (panel) / 1 fixing point (ceiling)	Connection Ceiling/Panel	308 126334
CELIDO Cumulos 400	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055




CELIDO Cumulos 4:1 eco

Ceiling suspension for AKUSTIX Vario eco elements for many applications




- ✓ For all **AKUSTIX** Vario eco elements (thickness: 12 mm)
- ✓ Flexibly adjustable in height - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements.
Recommendation: Panel fixation every 600 mm

Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 4:1 eco	1	Ceiling fixation set for AKUSTIX Varioset: Cumulos eco (12 mm); 4 fixing points (Panel) / 1 fixing point (ceiling)	Connection Ceiling/Panel	308 126313
CELIDO Cumulos 400	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055





CELIDO Cumulos 2:2 / 4:2

Ceiling suspension for AKUSTIX Vario elements for many applications





- ✓ For all **AKUSTIX** Vario elements with a thickness of 18 mm
- ✓ Flexibly adjustable in height and angle of inclination - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm

Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 2:2	2	Double wire suspension for AKUSTIX Varioset: Cumulos (18 mm); 2 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126327
CELIDO Cumulos 4:2	2	Double wire suspension for AKUSTIX Varioset: Cumulos (18 mm); 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126320
CELIDO Cumulos 400	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055





CELIDO Cumulos 2:2 eco / 4:2 eco

Ceiling suspension for AKUSTIX Vario eco elements for many applications





- ✓ For all **AKUSTIX Vario eco** elements (thickness: 12 mm)
- ✓ Flexibly adjustable in height and angle of inclination - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included. The recommended number of fixation sets varies based on the width of the AKUSTIX Vario elements. Recommendation: Panel fixation every 600 mm

Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos 2:2 eco	2	Double wire suspension for AKUSTIX Varioset: Cumulos eco (12 mm); 2 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126306
CELIDO Cumulos 4:2 eco	2	Ceiling fixation set for AKUSTIX Varioset: Cumulos eco (12 mm); 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 126299
CELIDO Cumulos 400	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055




CELIDO Cumulos 4:2 V1

Ceiling suspension with integrated cable shots




- ✓ For all **AKUSTIX** Cumulos elements
- ✓ Flexibly adjustable in height - ideal for any location
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Other suspension cable lengths available as accessories



Akustix elements as shown in the pictures are not included.

Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Cumulos V1 4:2	1	Ceiling fixation set for AKUSTIX Cumulos; 4 fixing points (panel) / 2 fixing points (ceiling)	Connection Ceiling/Panel	308 123947
CELIDO Cumulos 400	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124703
CELIDO Cumulos 500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124710
CELIDO Cumulos 1500	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124717
CELIDO Cumulos 3000	2	Suspension extension for AKUSTIX Varioset: Cumulos (eco)	Extension Ceiling/Panel	308 124059
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m ² Blue	Blue	309 120986
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m ² Grey	Grey	309 120993
AKUSTIX Cumulos	1	PET ceiling tile, corner radius: 30 mm, sound absorption level B, 3.000 g/m ² Light green	Light green	309 121000
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055




CELIDO Stratos (eco)

Panel suspension for ceiling baffles




- ✓ For all **AKUSTIX Vario (eco)** elements (thickness: 18 or 12 mm)
- ✓ Three different ceiling fixations enable installations on many ceiling situations
- ✓ Vertical installation of **AKUSTIX Vario (eco)** elements for even greater sound absorption



Akustix elements as shown in the pictures are not included.

Technical Drawings




Article	PU	Description	Type	Item No.
CELIDO Stratos	2	Ceiling fixation for AKUSTIX Vario -elements (18 mm);	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for AKUSTIX Vario -elements (12 mm);	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for AKUSTIX Vario set: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055



CELIDO Muros (eco)





Fixation set for large „floating“ noise barrier modules

✓ For all **AKUSTIX** Vario (eco) elements (thickness: 18 or 12 mm)



Akustix elements as shown in the pictures are not included.

Technical Drawings





Article	PU	Description	Type	Item No.
CELIDO Muros	2	Panel fixation for AKUSTIX Varioset: Muros (18 mm)	Connection Panel/Panel	308 126075
CELIDO Muros eco	2	Panel fixation for AKUSTIX Varioset: Muros eco (12 mm)	Connection Panel/Panel	308 126068
CELIDO Stratos	2	Ceiling fixation for AKUSTIX Vario-elements (18 mm);	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for AKUSTIX Vario-elements (12 mm);	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for AKUSTIX Varioset: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055

CELIDO Muros flex

Fixation set for the flexible connector of AKUSTIX Vario (eco) elements






- ✓ For all **AKUSTIX Vario (eco)** elements (thickness: 18 or 12 mm)
- ✓ Height adjustable (45-130 mm) connector of elements **AKUSTIX Variosets: Muros**



Akustix elements as shown in the pictures are not included.

Technical Drawings



Article	PU	Description	Type	Item No.
CELIDO Muros flex	2	Panel connector for AKUSTIX Varioset: Muros (eco)	Connection Panel/Panel	308 123933
CELIDO Stratos	2	Ceiling fixation for AKUSTIX Vario-elements (18 mm) ;	Connection Ceiling/Panel	308 126467
CELIDO Stratos eco	2	Ceiling fixation for AKUSTIX Vario-elements (12 mm) ;	Connection Ceiling/Panel	308 126460
CELIDO Stratos 3000	2	Suspension extension for AKUSTIX Varioset: Stratos (eco) / Muros (eco)	Extension Ceiling/Panel	308 124052
CELIDO C	1	T-bar clip for ceiling fixation	Ceiling fixation	308 127055



CELIDO Overview

Ceiling suspension for AKUSTIX Vario (eco) elements for many situations



	Picture	PU	Description / Panel orientation	For AKUSTIX		Fixing points		Height adjustable	For end product	Item No.
				Vario	Vario eco	Ceiling	Panel			
CELIDO Cumulos 4:1		1	Ceiling fixation set/ horizontal	✓	-	1	4	✓	AKUSTIX Vario set: Cumulos	308 126334
CELIDO Cumulos 4:1 eco		1	Ceiling fixation set/ horizontal	-	✓	1	4	✓	AKUSTIX Vario set: Cumulos eco	308 126313
CELIDO Cumulos 2:2		1	Ceiling fixation set/ horizontal	✓	-	2	2	✓	AKUSTIX Vario set: Cumulos	308 126327
CELIDO Cumulos 2:2 eco		1	Ceiling fixation set/ horizontal	-	✓	2	2	✓	AKUSTIX Vario set: Cumulos eco	308 126306
CELIDO Cumulos 4:2		1	Ceiling fixation set/ horizontal	✓	-	2	4	✓	AKUSTIX Vario set: Cumulos	308 126320
CELIDO Cumulos 4:2 eco		1	Ceiling fixation set/ horizontal	-	✓	2	4	✓	AKUSTIX Vario set: Cumulos eco	308 126299
CELIDO Cumulos 4:2 V1		1	Ceiling fixation set/ horizontal	AKUSTIX Cumulos	-	2	4	✓	AKUSTIX Vario set: Cumulos	308 123947
CELIDO Stratos		2	Ceiling fixation/ vertical	✓	-	2	2	✓	AKUSTIX Vario set: Stratos	308 126467
CELIDO Stratos eco		2	Ceiling fixation/ vertical	-	✓	2	2	✓	AKUSTIX Vario set: Stratos eco	308 126460
CELIDO Muros			Panel connector/ vertical	✓	-	-	2	-	AKUSTIX Vario set: Muros	308 126075
CELIDO Muros eco			Panel connector/ vertical	-	✓	-	2	-	AKUSTIX Vario set: Muros eco	308 126068
CELIDO Muros flex			Panel connector/ vertical	✓	✓	-	2	✓	AKUSTIX Vario set: Muros (eco)	308 123933
CELIDO Cumulos 400			Suspension extension (400 mm)	✓	✓	1	1	-	AKUSTIX Vario set: Cumulos (eco)	308 124703
CELIDO Cumulos 500			Suspension extension (500 mm)	✓	✓	1	1	-	AKUSTIX Vario set: Cumulos (eco)	308 124710
CELIDO Cumulos 1500			Suspension extension (1500 mm)	✓	✓	1	1	-	AKUSTIX Vario set: Cumulos (eco)	308 124717
CELIDO Cumulos 3000			Suspension extension (3000 mm)	✓	✓	1	1	-	AKUSTIX Vario set: Cumulos (eco)	308 124059
CELIDO Stratos Muros 3000			Suspension extension (3000 mm)	✓	✓	2	2	-	AKUSTIX Vario set: Stratos / Muros (eco)	308 124052
CELIDO C			Ceiling fixation / T-bar clip for ceiling	✓	✓	1	-	-	CELIDO Group	308 127055

